

ROTARY MOWER SERIES

# TIGER 510 & 725

*Premium rotary mowers with the GreenFlex Blade System*

## INTRODUCTION

# A new generation of rotary mowers

With the Tiger Rotary Mower, we proudly present completely new and innovative ideas, benefiting work quality, the environment, and the economy.

The Tiger is designed by a pioneer in the industry: Martin Lole, founder of Spearhead. It is the perfect machine for farmers, contractors and landowners, where efficiency is key.



# Semi-mounted headstock

## ■ Sharp turning angles

Patent-pending mounting enables extreme turning without PTO damage

## ■ On-the-go height adjustment

Set cutting height directly via tractor link arms

## ■ Wide-angle input PTO shaft

Ultimate protection during turns and transport

## ■ Fast and easy mounting

No additional brackets needed, only the headstock itself



# Easy-clean sandwich deck



- **Reduced downtime**

Flat, smooth surface for quick and easy maintenance

- **Enhanced longevity**

Sandwich construction protects critical components

- **4-plate protection clutch**

Mounted on each rotor for ultimate driveline safety

- **Built to last**

Designed for heavy-duty use season after season

# One-touch cutting height control

---

01

---

## Integrated axle design

Reduces setup time and simplifies transitions between tasks

02

---

## Easy wing adjustment

Adjust working width on the fly with minimal effort

03

---

## 8 wheels · 200/60x14.5

Foam-filled for stability and long-lasting performance



INNOVATION

# GreenFlex Blade System

---

Using as little energy as possible, while keeping the option for very high mulch quality when needed.

A plate with 12 holes is mounted to the gearbox, allowing flexible blade configurations. A scalp disk protects the blades from ground impact.

**Adjust capacity, mulch quality and fuel economy on the go.**



# Three configurations, one machine



2 BLADES

## HD High Lift

MULCH QUALITY  
**Normal**

POWER REQ.  
**Low**

Ideal for basic grass mowing with minimum power draw.




4 BLADES

## + Mulch Blades

MULCH QUALITY  
**High**

POWER REQ.  
**Medium**

Add 2 mulch blades for improved mulch quality on demanding tasks.



6 BLADES

## + Recycle Blades

MULCH QUALITY  
**Extreme**

POWER REQ.  
**High**

Add 2 recycle blades for ultimate mulching performance.

# Technical data

*Tiger 510 and Tiger 725 - side by side*

SPECIFICATION	TIGER 510	TIGER 725
Working Width	5.10 m	7.25 m
Overall Width	5.30 m	7.30 m
Transport Width	2.40 m	2.40 m
Weight	2,550 kg	3,160 kg
Wheels	8 × 200/60×14.5	8 × 200/60×14.5
Cutting Capacity	up to 6.0 HA/hr	up to 8.0 HA/hr
Number of Rotors	3	5
Gearbox Rating	250 HP	250 HP
Blades per Rotor	6 (standard)	6 (standard)
Cutting Height	20 – 400 mm	20 – 400 mm
Power Requirement	From 100 HP	From 140 HP

A green tractor is pulling a trailer in a field. The tractor is positioned in the middle ground, facing right. The trailer is a long, low-profile unit with multiple axles and tires, also facing right. The field is filled with dry, yellowish-brown stalks, likely from a recent harvest. In the background, there are green trees and a cloudy sky. The overall scene is a rural agricultural setting.

# Keep the best Change the rest

*Tiger 510 & 725 · Designed for efficiency*

CONTACT

# Ready to see the Tiger in action?

---

*Contact your local dealer for a demonstration.*

<b>SALES</b>	<a href="mailto:info@greentec.eu">info@greentec.eu</a>
<b>TELEPHONE</b>	+45 75 55 36 44
<b>DEALERS</b>	<a href="http://greentec.eu/dealers">greentec.eu/dealers</a>
<b>CONFIGURE</b>	<a href="http://www.greentec.eu/products/rotary-mower">www.greentec.eu/products/rotary-mower</a>



**TIGER  
ROTARY MOWER**

---